



Flu protection without the injection.*

*Vaccination may not protect everyone.

FluMist is the first and only
FDA-approved nasal spray flu vaccine.



FDA approved



Needle free



For at-home use

For the prevention of influenza in people ages 2-49.

IMPORTANT SAFETY INFORMATION

You should not get FLUMIST if you have a severe allergy to its components, eggs or other flu vaccines; or are 2 through 17 years old and take aspirin or medicines containing aspirin - children or adolescents should not be given aspirin for 4 weeks after getting FLUMIST unless your healthcare provider tells you otherwise

Please see additional Important Safety Information throughout and full Prescribing Information, including Patient Information and Instructions for Use.

It's simple to get your flu vaccine delivered with FluMist Home



The first and only **needle-free** flu vaccine you can **administer at home**.



The same **nasal spray flu vaccine** you can get at a pharmacy or doctor's office, **delivered right to your door.***



\$8.99 shipping and processing fee per order.[†]



FluMist is **covered by most insurance plans**.

*Limitations apply.

†For commercially insured patients only.

FluMist is a recommended influenza vaccine option by the **Centers for Disease Control and Prevention (CDC)** and the **American Academy of Pediatrics (AAP)**.



Please see additional Important Safety Information throughout and full [Prescribing Information](#), including [Patient Information](#) and [Instructions for Use](#).

FluMist helps protect you and your loved ones[‡]

FluMist helps prevent flu in people aged 2 to 49 years. It is a nasal spray flu vaccine that starts working in the nose.[§]

FluMist continues to stimulate the immune system to help build antibodies against influenza infection in 3 ways:



In the nasal passage

where the flu typically enters the body



In the bloodstream

to help circulate antibodies throughout the body



In cells

to help build up the body's response to infection

[‡]Vaccination may not protect everyone.

[§]The mechanism of action is not fully understood.

IMPORTANT SAFETY INFORMATION (cont'd)

Children under 2 years old have an increased risk of wheezing (difficulty with breathing) after getting FLUMIST


Ordering FluMist is as easy as 1, 2, 3...4



Order online for yourself and your household



Order reviewed by a healthcare professional*



Get FluMist delivered to your door



Use FluMist at home!

*Eligible orders receive approval based on medical questionnaire.



Scan here for full details about each step.

IMPORTANT SAFETY INFORMATION (cont'd)

Before getting FLUMIST, tell your healthcare provider about all your medical conditions, including if you: are currently wheezing; have a history of wheezing and are under 5 years of age; have asthma; have had Guillain-Barré syndrome (severe muscle weakness); have a weakened immune system or live with someone who has a severely weakened immune system; have problems with your heart, kidneys, or lungs; have diabetes; are pregnant or nursing; or are taking antiviral drugs for the treatment of influenza

Flu season can be unpredictable

Your protection doesn't have to be.

- No time? No problem. With FluMist Home, you can choose when your order arrives—so protection is on your schedule
- Support at every step: FluMist Home comes with a network of resources, including helpful videos and live support lines
- The dosage for FluMist is the same, whether you're in the doctor's office or at home
- No appointments or waiting in line necessary. Help protect yourself and your family from the flu without leaving home



Please see additional Important Safety Information throughout and full [Prescribing Information](#), including [Patient Information](#) and [Instructions for Use](#).


FluMist[®]
Influenza Vaccine
Live, Intranasal

Here are some Frequently Asked Questions about FluMist:

1. Who can FluMist help protect?

The CDC recommends that everyone over the age of 6 months receive an annual flu vaccine. Eligible people between the ages of 2 and 49 may receive FluMist or the flu shot, with no preference given to either option. For everyone else, an age-appropriate flu vaccine should be given.

2. How long before the flu vaccine can help protect me?

Studies show that it takes about 2 weeks for protection to develop after vaccination.

3. How long does the flu vaccine last?

Your protection from a flu vaccine declines over time. According to the CDC, flu viruses are constantly changing, so flu vaccines are updated from one season to the next to help protect against the viruses that research suggests will be common during the upcoming flu season. Yearly vaccination is needed for the best protection.



If you have additional questions about FluMist, **please visit [FluMist.com](https://www.flumist.com) for more information.**

IMPORTANT SAFETY INFORMATION (cont'd)

FLUMIST may cause rare but serious side effects including allergic reactions. Seek medical help right away if you experience any allergic reactions, including: hives; swelling of the face, lips, eyes, tongue or throat; throat tightness or trouble breathing

4. What are the possible side effects of FluMist?

FluMist may cause rare but serious side effects, including severe allergic reactions. Seek medical help right away if you experience any allergic reactions, including: hives; swelling of the face, lips, eyes, tongue or throat; throat tightness or trouble breathing.

The most common side effects are runny or stuffy nose, sore throat, and fever over 100 °F.

Other possible side effects include: decreased appetite, irritability, tiredness, cough, headache, muscle ache, and chills.

These are not all the possible side effects of FluMist. Talk to your healthcare provider for more information.

You may report side effects to VAERS at 1-800-822-7967 or <https://vaers.hhs.gov>.



Please see additional Important Safety Information throughout and full Prescribing Information, including Patient Information and Instructions for Use.


FluMist[®]
Influenza Vaccine
Live, Intranasal



Help protect yourself and
your family from the flu.



FluMist is the first and **only**
FDA-approved nasal spray flu
vaccine to administer at home



Get it **delivered to your door** with
FluMist Home (also available in a
doctor's office or pharmacy)

Scan QR code to order or
visit FluMist.com/order



IMPORTANT SAFETY INFORMATION (cont'd)

The most common side effects are runny or stuffy nose,
sore throat, and fever over 100 °F

APPROVED USE

FLUMIST is a vaccine that is sprayed into the nose to
help protect against influenza in people ages 2 through
49 years. FLUMIST may not prevent influenza in
everyone who gets vaccinated.

Please see additional Important Safety Information throughout
and full [Prescribing Information](#), including [Patient Information](#)
and [Instructions for Use](#).

You may [report side effects related to](#)
[AstraZeneca products](#).

FLUMIST is a registered trademark of the
AstraZeneca group of companies.
©2025 AstraZeneca. All rights reserved.
US-99962 Last Updated 5/25

